

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

Drawing: 20-degree unit, shown with optional document holder in the right side position.





Figure 2

M-1: Document Holder




Figure 3a 172 165

M-1 Document Holder Tab Insertion Detail




Figure 3b

M-2 rough dwg., inserts via front tabs




Figure 4

Drawing: 30-degree unit, shown in desk-mount position





Figure 5



Detail: suction and bumper
attachment mechanisms on back
plane of 30 degree unit for easel
positioning.

Figure 6

30-degree unit, shown in easel
position




Figure 7




Figure 8

D- Plane A and B
joined beneath utility
ledge by silicone (or
similar material)
hinging mechanism.




Figure 9

Adjustable unit in 20-degree
position




Figure 13

Adjustable unit in 30-degree position




Figure 11

